

#### PROCEDURE INSTRUCTIONS

## **Chemical Peels**

### BEFORE

• Discontinue any topical prescriptions or any products containing Retinol or Vitamin A or derivatives.

- Cease all exfoliants such as scrubs and glycolic acid.
- Avoid waxing, electrolysis, hair removal creams, and laser hair removal treatments.
- Avoid sun exposure and tanning beds.
- Do not receive Botox or dermal fillers a week prior to your treatment.
- Do not use any alpha hydroxy acid (AHA), beta hydroxy acid (BHA) and benzoyl peroxide.
- Inform your provider if you have been receiving Accutane in the last year.

### AFTERCARE

The initial 72 hours post procedure are the most critical and clients should adhere to the following guidelines for healthy, radiant skin:

- Avoid direct sun and extremes of heat or cold (strenuous exercising, swimming, hot saunas, ice baths). ALWAYS wear sunscreen even on cloudy days.
- Discontinue use of any AHA products for 72 hours, or 6 weeks if doing a treatment cycle. You may continue your

regular skin care routine after 72 hours or when your skin is no longer flaking/peeling. Can use hydrating and reparative products such as antioxidants, Vitamins A, C and E, Natural Skin Lighteners and Growth Factors.

• No scratching, peeling or picking! This can potentially cause hyperpigmentation. Leave the skin to peel off naturally.

- Avoid using make-up in the first 24 hours
- Avoid using abrasive products such as scrubs or exfoliating sponges for 7 -10 days.

• Avoid products such as retinoids/retinol and glycolic acid for 10 days.

• It is recommended that other topical, over-the-counter medications, or alpha hydroxy acid products not be applied to the skin seven days post-procedure, as they may cause irritation.

 It is recommended to delay use of tretinoin or any retinol derivative for 7 days prior and 7 days post-procedure.

# WHAT TO EXPECT

Slight peeling is normal for 3-5 days. There might be mild itching, irritation, redness, and increased sensitivity. Small whiteheads sometimes develop but subside within a week. Crusting is rare; however if it does occur, a thin layer of over-the-counter antibiotic ointment such as Polysporin can be applied 2-3 times a day for 3 days. Hyperpigmentation, darkening of the skin color, can occur in some skin types.

The Art of Beauty

(770)344-7926

## info@theartofbeauty.us